


RECOMMENDED MAX VEHICLE WEIGHT: 2,000 LBS (4g LOADING)
RECOMMENDED MAX POWER: 600hp

CUSTOM DRIVE AXLES AVAILABLE

LATEST REVISION

FUNC ID	REV	ECN	DESCRIPTION	BY	APPROV	DATE
	XXX	XXX	XXX	XXX	XXX	XXX



GT UPRIGHT INSTALLATION DIMENSIONS
RODEND CONFIGURATION 'B' - UNIVERSAL F/R/LT/RT (STEERING ARM REVERSIBLE), REAR STEER ARM
OTHER CONFIGURATIONS AVAILABLE


WEIGHT OF ASSEMBLY AS SHOWN, WITH BEARING AND STUDS: 8.0LBS




PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PALATOV MOTORSPORT LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PALATOV MOTORSPORT LLC IS PROHIBITED.	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/16$ ANGULAR: ± 1 DEG TWO PLACE DECIMAL $\pm .01$ THREE PLACE DECIMAL $\pm .005$		NAME	DATE	Palatov Motorsport LLC	
		DRAWN	dp	03/01/2010		
		CHECKED				
		ENG APPR.				
		MFG APPR.				
		Q.A.				
CAD FILE: C:\projects\PM Parts\upright rodend .SLDPRT	INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:			TITLE: GT Upright Rodend Cfg. B 5x114.3 PCD	
	MATERIAL Billet 6061 Alloy					
	FINISH Black Anodize					
	DO NOT SCALE DRAWING					
		SIZE	DWG. NO.		REV	
		B	GT Upright		A	
		SCALE: 1:2	WEIGHT: XXX		SHEET 1 OF 3	

APPROXIMATE WEIGHT OF ASSEMBLY AS SHOWN: 19lbs

LATEST REVISION						
FUNC ID	REV	ECN	DESCRIPTION	BY	APPROV	DATE
	XXX	XXX	XXX	XXX	XXX	XXX



Ø 13.0
TYPICAL CLEARANCE



BRAKE PACKAGE SHOWN:
WILWOOD DYNAPRO RADIAL-MOUNT CALIPER
WILWOOD ULHP-30 11" X 0.81" ROTOR






FOR CARS OVER 1,500 LBS AND/OR OVER 400HP RECOMMENDED ROTOR
IS WILWOOD GT-36 12.19" X 0.81"

RECOMMENDED WHEEL SIZE: 15" AND LARGER



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PALATOV MOTORSPORT LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PALATOV MOTORSPORT LLC IS PROHIBITED.	UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Palatov Motorsport LLC			
	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/16 ANGULAR: ± 1DEG TWO PLACE DECIMAL ± .01 THREE PLACE DECIMAL ± .005		DRAWN	dp				
			CHECKED		TITLE: GT Upright Rodend Cfg. B 5x114.3 PCD			
			ENG APPR.					
			MFG APPR.					
			Q.A.					
CAD FILE: C:\projects\PM Parts\GT Upright assembly B .SLDPRT	INTERPRET GEOMETRIC TOLERANCING PER:		COMMENTS:		SIZE DWG. NO. REV B GT Upright B SCALE: 1:2 WEIGHT: XXX SHEET 2 OF 3			
	MATERIAL Billet 6061 Alloy							
	FINISH Black Anodize							
	DO NOT SCALE DRAWING							

LATEST REVISION						
FUNC ID	REV	ECN	DESCRIPTION	BY	APPROV	DATE
	XXX	XXX	XXX	XXX	XXX	XXX



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PALATOV MOTORSPORT LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PALATOV MOTORSPORT LLC IS PROHIBITED.	UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Palatov Motorsport LLC			
	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/16 ANGULAR: ± 1DEG TWO PLACE DECIMAL ± .01 THREE PLACE DECIMAL ± .005		DRAWN	dp				
			CHECKED			TITLE: GT Upright Rodend Cfg. B 5x114.3 PCD		
			ENG APPR.					
			MFG APPR.					
CAD FILE: C:\projects\PM Parts\upright rodend .SLDPRT	INTERPRET GEOMETRIC TOLERANCING PER:		Q.A.			SIZE DWG. NO. REV B GT Upright B SCALE: 1:2 WEIGHT: XXX SHEET 3 OF 3		
	MATERIAL Billet 6061 Alloy		COMMENTS:					
	FINISH Black Anodize							
	DO NOT SCALE DRAWING							